



Tarif PRO 2022-06



Distributeur Exclusif France
5 rue Pavlov - 78190 TRAPPES
Tél.: +33 1 34 59 36 45
web: www.beyma.fr -- E-mail: info@beyma.fr
www.globaltradingservices.eu



Price List

LOW AND MID FREQUENCY

Formato	Name		PRICE (EUR)	POWER (W	SEN. (dB 2.83V	COIL DIAM.	FREQ. RANGE	Fs (Hz)	Qts	Vas (l)	NET WEIGHT	MAGNET	Item number
				AES)	1m)	(in)	(Hz)				(kg)		
21	21LEX1600Nd		817,08	1600	98	4	30-1000	30	0.29	305	11.8	Nd	121LEX16ND8
21	21QLEX1600Fe	NEW!	674,10	1600	98	4	30-1000	30	0.28	309	17.1	Ferr	121QLEX16FE8
18	18G550/S		461,66	900	97	4.5	35-1500	33	0.4	290	12	Ferr	118G550S8
18	18LEX1000Fe	NEW!	353,10	1000	98	3.5	35-1000	34	0.38	250	11.7	Ferr	118LEX10FE8
18	18LEX1000Nd	NEW!	402,93	1000	98	3.5	35-1000	34	0.39	260	7.3	Nd	118LEX10ND8
18	18LEX1600Fe	NEW!	442,98	1600	97	4	35-1000	34	0.38	188	14.6	Ferr	118LEX16FE8
18	18LEX1600Nd		642,85	1600	96	4	35-1000	33	0.43	231	9.5	Nd	118LEX16ND8
18	18LX60V2/S		359,98	700	98	4	25-1000	35	0.48	236	11.2	Ferr	118LX60V2S8
18	18P1000FeV2/S		414,96	1200	98	4	30-2000	33	0.32	230	13.5	Ferr	118P10FEV2S8
18	18PW1400Fe/S		465,17	1400	98	4	25-1800	32	0.27	228.9	16.9	Ferr	118PW14FES8
18	18PWB1000Fe/S		428,68	1000	96	4	30-2000	27	0.38	317	13.5	Ferr	118PWB10FES8
18	18QLEX1600Fe	NEW!	488,72	1600	97	4	30-1000	30	0.23	195	14.6	Ferr	118QLEX16FE8
18	18WRS600		276,28	600	97	3	35-1000	30	0.47	354	8.7	Ferr	118WRS608
15	15LEX1000Fe	NEW!	317,58	1000	97	3.5	40-1000	41	0.34	116	11	Ferr	115LEX10FE8
15	15LEX1000Nd	NEW!	406,50	1000	97	3.5	40-1500	41	0.37	113	7.6	Nd	115LEX10ND8
15	15LEX1600Fe	NEW!	406,07	1600	96	4	40-1500	38	0.33	106	13.9	Ferr	115LEX16FE8
15	15LEX1600Nd		625,87	1600	96	4	40-1500	41	0.36	91	8.8	Nd	115LEX16ND8
15	15LX60V2		307,76	700	98	4	30-1500	42	0.44	105.53	10.2	Ferr	115LX60V28
15	15MC500		222,63	500	98	2.5	50-4000	46	0.45	134	6.2	Ferr	115MC508
15	15MC700Nd		390,78	700	100	3	50-4000	49	0.31	122	4.2	Nd	115MC70ND8
15	15MCB700	NEW!	269,16	700	99	3	45-4000	44	0.34	148	8	Ferr	115MCB708
15	15MCS500		192,75	500	98	2.5	50-4000	46	0.48	134	6.2	Ferr	115MCS508
15	15P1000Fe/V2		376,65	1000	98	4	45-2000	45	0.3	80.7	13.1	Ferr	115P10FEV28
15	15P80Fe/N		388,07	800	101	4	30-4000	32	0.18	305	12.5	Ferr	115P80FEN8
15	15P80Nd		524,32	800	101	4	40-4000	39	0.21	184	6	Nd	115P80ND8
15	15QLEX1600Fe	NEW!	451,86	1600	96	4	35-1000	33	0.21	102	13.9	Ferr	115QLEX16FE8
15	15WR400		228,02	400	99	3	40-4000	36	0.3	236	6.1	Ferr	115WR408
15	15WRS400		195,05	400	98.5	3	40-4000	36	0.33	236	6.25	Ferr	115WRS408
14	14MC700Nd	NEW!	371,25	700	99	3	55-4000	51	0.28	78	4	Nd	114MC70ND8
12	12BR70		128,49	125 W RMS	93	2	35-4000	31	0.50	142	3.6	Ferr	212BR708
12	12G40		214,09	500	97	3	45-4000	44	0.3	81	7.1	Ferr	112G48
12	12LEX1000Fe	NEW!	323,68	1000	95	3.5	50-1500	49	0.3	38.4	10.4	Ferr	112LEX10FE8
12	12LEX1300Nd	NEW!	582,04	1300	96	4	45-1500	45	0.24	43	8.3	Nd	112LEX13ND8
12	12LX60V2		254,19	700	96	4	35-2000	49	0.38	43	9.7	Ferr	112LX60V28
12	12MC500		196,23	500	98	2.5	65-5000	57	0.34	57	5.86	Ferr	112MC508
12	12MC700Nd		351,25	700	99	3	60-4000	51	0.24	58	3.7	Nd	112MC70ND8
12	12MCB700	NEW!	233,58	700	98	3	55-4000	51	0.27	59.5	7.8	Ferr	112MCB708
12	12MCS500		174,76	500	98	2.5	65-5000	57	0.36	57	6	Ferr	112MCS508
12	12MI100		218,66	450	100	3	60-4000	58	0.22	64	7.2	Ferr	112MI108
12	12P1000Nd		493,24	900	96	4	50-2000	47	0.26	49	5.4	Nd	112P10ND8

12	12P80Fe/V2		328,02	700	99	4	50-4000	48	0.21	61	11.5	Ferr	112P80FEV28
12	12P80Nd/V2		486,93	700	100	4	50-4000	47	0.19	65	5.6	Nd	112P80NDV28
12	12WR400		184,78	400	97	3	45-5000	42	0.27	91	5.5	Ferr	112WR408
12	12WRS400		159,24	400	97	3	45-5000	42	0.29	91	5.5	Ferr	112WRS408
10	10BR60/V2		111,66	100 W RMS	92	2	30-5000	29	0.39	142	2.9	Ferr	210BR60V28
10	10NMFS	NEW!	422,22	350	90	2.5	30-2000	35	0.42	45	6.5	Ferr	210NMFS8
10	10G40		179,94	400	95	3	45-4000	45	0.3	49	5.7	Ferr	110G48
10	10MC500		185,74	500	97	2.5	70-5000	65	0.29	24	5.7	Ferr	110MC508
10	10MC700Nd		343,32	700	97	3	65-4000	63	0.22	20	3.6	Nd	110MC70ND8
10	10MCB700	NEW!	220,96	700	96	3	80-4000	75	0.33	13.2	7.6	Ferr	110MCB708
10	10MCF400Nd		656,57	400	102	4	300-5000	260	0.44	2	6.2	Nd	110MCF40ND8
10	10MCS500		162,01	500	96.5	2.5	70-5000	65	0.31	24	5.7	Ferr	110MCS508
10	10MI100		218,48	350	98	3	70-4000	50	0.21	54	7.1	Ferr	110MI108
10	10WR300		128,39	300	95	2	55-5000	52	0.35	42	3.5	Ferr	110WR308
10	10WRS300		106,77	300	95	2	55-5000	52	0.38	42	3.5	Ferr	110WRS308
8	8BR40/N		69,50	50 W RMS	91	1	30-6000	30	0.39	89.1	1.35	Ferr	208BR40N8
8	8G40		129,98	250	95	2.5	70-6000	70	0.36	17	3.3	Ferr	108G48
8	8MC300Nd		222,41	300	96	2	80-4000	76	0.28	11.6	1.9	Nd	108MC30ND8
8	8MC500Nd		249,94	500	98	2.5	80-6000	69	0.18	15.9	2.8	Nd	108MC50ND8
8	8MI100		109,66	250	96	2	100-7000	90	0.45	12	3.1	Ferr	108MI1008
8	8P300Fe/N		132,89	300	94	2.5	55-8000	53	0.31	24.8	4	Ferr	108P3FEN8
8	8WR300		116,93	300	95	2	65-4000	65	0.27	15	3.3	Ferr	108WR308
8	8WRS300		96,38	300	95	2	65-4000	65	0.28	15	3.25	Ferr	108WRS308
8	8NMFW	NEW!	305,56	200	90	2	30-2500	37	0.34	27	3.7	Ferr	208NMFW8
6	6B30/P		59,43	50	90	1	55-8000	56	0.50	15.6	1.2	Ferr	206B30P8
6	6NMFW	NEW!	283,33	200	87	2	35-3000	40	0.34	11	3.5	Ferr	206NMFW8
6	6G40Nd		159,00	170	94	2	90-8000	85	0.33	7	1.6	Nd	106G4ND8
6	6MCF200Nd		378,03	200	97	2	400-12000	406	0.72	0.27	2.3	Nd	106MCF20ND8
6	6MI100		94,54	250	94	2	100-8000	128	0.51	3.1	3	Ferr	106MI108
6	6P200Nd		171,72	200	92	2	60-9000	56	0.29	11.9	1.9	Nd	106P200ND8
6	6P200Fe		115,21	200	93	2	60-9000	58	0.26	11.1	3.1	Ferr	106P2FE8
5	5G40Nd/N		131,74	100	92	1.5	150-17000	140	0.45	1.4	1.2	Nd	105G4NDN8
5	5P200Fe		88,45	150	92	1.5	70-10000	72	0.33	5.7	2.2	Ferr	105P2FE8
5	5P200Nd		146,06	150	92	1.5	70-10000	78	0.3	4.5	1.24	Nd	105P2ND8
5	5MP60/N		67,94	50 W RMS	88	1	65-12000	63	0.46	5.8	1.2	Ferr	205MP6N8

COAXIALS

Formato	Name	POWER LF/HF		SEN. LF/HF (dB	COIL DIAM.	FREQ. RANGE	Fs (Hz)	Qts	Vas (l)	NET WEIGHT		MAGNET	Item number
		PRICE (EUR)	(W AES)	2.83V-1m)	LF/HF (in)	(Hz)				(kg)			
15	15CXA400Fe	463,12	400/80	98/105	4 /2.9	35-20000	40	0.42	191	11.9	Ferr		115CXA4FE8
15	15CXA400Nd	667,96	400/90	98/105	4/2.85 in	40-20000	40	0.36	196	7.2	Nd		115CXA4ND8
15	15XA38Nd	600,51	350/90	99/105	4/2.85 in	40-20000	38	0.3	238	6.8	Nd		115XA38ND8
12	12CXA400Fe	436,40	400/80	96/105	4/2.87	40-20000	42	0.25	94	11.3	Ferr		112CXA4FE8
12	12XA30Nd	589,11	350/90	98/105	4 /2.9	35-20000	35	0.21	172	6.3	Nd		112XA30ND8

12	12CXA400Nd	648,52	400/90	98/105	4/2.85 in	50-20000	45	0.25	88.5	6.5	Nd	112CXA4ND8
10	10CX300/Fe	371,05	300/50	96.5/104	2.5/1.75	50-20000	48	0.38	63	5.1	Ferr	110CX3FE8
8	8CX300Fe	275,40	300/50	95/105	2.5/1.75	90-20000	89	0.55	10.8	4.6	Ferr	108CX3FE8
8	8CX300Nd/N	415,49	250/50	96/104	2.5/1.75	60-20000	61	0.29	23	2.8	Nd	108CX3NDN8
6	6CX200Fe	206,57	200/25	94/102	2/1 in	60-20000	65	0.32	10.54	3.6	Ferr	106CX2FE8
6	6CX200Nd/N	368,28	200/40	92/103	2/1.75	65-20000	65	0.27	9.4	2	Nd	106CX2NDN8
5	5CX200Fe	187,86	150/25	92/105	1.5/1 in	85-20000	82	0.41	5.3	2.51	Ferr	105CX2FE8
5	5CX200Nd/N	327,94	150/40	92.5/102	1.5/1.75	75-20000	75	0.28	9.1	1.6	Nd	105CX2NDN8

COMPRESSION DRIVERS											
Formato	Name	PRICE (EUR)	POWER (W AES)	XOVER (Hz - 12dB/Oct.)	SEN. (dB 2.83V- 1m)	COIL DIAM. (in)	FREQ. RANGE (Hz)	DIAPH. MATERIAL	NET WEIGHT (kg)	MAGNET	Item number
2	CP-750/Ti	304,20	70	800	110	2.85	600-20000	Ti/Polyester	7.05	Ferr	1CP75TI8
2	CP-800/Ti	476,85	100	500	112	4	500-20000	Titanium	10.3	Ferr	1CP80TI8
2	CP-850Nd	786,29	100	500	112	4	500-20000	Titanium	4.4	Nd	1CP85ND8
2	SMC-60	246,14	80	800	109	2.85	500-18000	Ti/Polyester	4.5	Ferr	1SMC608R
1.4	SMC-65	226,75	50	800	107	2.85	700-18000	Ti/Polyester	4.2	Ferr	1SMC658
1.4	SMC-65Nd	377,26	70	800	108	2.85	600-20000	Ti/Polyester	2.2	Nd	1SMC65ND8R
1.4	CP-855Nd	624,56	100	500	112	4	500-20000	Titanium	4.3	Nd	1CP855ND8
1.4	CD-14Fe	181,56	60	800	107	2.5	500-16000	PM4	3.3	Ferr	1CD14FE8
1.4	CD-14Nd	309,50	60	800	108	2.5	600-17000	PM4	1.9	Nd	1CD14ND8
1.4	CD-1114Fe	NEW! 134,18	70	1500	109	1.75	700-19000	PM4	1.9	Ferr	1CD1114FE8
1.4	CD-1014Fe/N	115,05	70	1200	110	1.75	700-19000	PM4	2	Ferr	1CD1014FEN8
1.4	CP-755Nd	547,18	60	800	110	2.85	600-20000	Ti/Polyester	2.9	Nd	1CP755ND8
1.4	CP-755Nd/AL	547,18	60	800	112	2.85	600-20000	Al/poliester	2.96	Nd	1CP755NDA8
1.4	CP-755Ti	287,26	70	800	110	2.85	600-20000	Ti/Polyester	6.75	Ferr	1CP755TI8
1	CD-10Fe/N	83,82	70	1200	109	1.75	700-19000	PM4	1.3	Ferr	1CD10FEN8
1	CD-10Nd/N	194,46	70	1200	111	1.75	700-19000	PM4	1.2	Nd	1CD10NDN8
1	CD-11Fe	101,55	70	1500	109	1.75	700-19000	PM4	1.8	Ferr	1CD11FE8
1	CD-11Fe/S	112,30	70	1500	109	1.75	700-19000	PM4	1.8	Ferr	1CD11FES8
1	CD-11Nd	200,75	70	1500	111	1.75	700-19000	PM4	1.3	Nd	1CD11ND8
1	CD-1Fe	51,18	20	2000	109	1	1000-20000	Polyamide	0.8	Ferr	1CD1FE8
1	CD-1Nd	72,63	20	2000	110	1	1000-20000	Polyamide	0.4	Nd	1CD1ND8
1	CD1S	54,84	30	2500	106	1	2000-20000	PM4	0.6	Ferr	1CD1S8
1	CP-380/M	195,67	70	1200	107	1.75	800-20000	Polyester	3.2	Ferr	1CP380M8
1	CP-385Nd	281,12	70	1200	109	1.75	800-20000	Polyester	1.3	Nd	1CP385N8
1	SMC-225Nd	154,45	40	1500	108	1.75	800-20000	Polyester	0.7	Nd	1SMC225ND8
1	SMC-280/N	88,37	50	1500	105	1.75	800-18000	Polyester	1.3	Ferr	1SMC28N8
1	SMC-8060/N	109,83	50	1500	107	1.75	800-18000	Polyester	1.5	Ferr	1SMC8060N8

HORNS								
Formato	Name	PRICE (EUR)	DISPERSION (°		DI (dB)	MATERIAL	NET WEIGHT	
			- HxV)	Xmax (mm)			(kg)	Item number
TDW	TD-164	66,72	60x40	14.1 (media/average 800 - 16kHz)	11dB (+2dB -6.4dB)	Aluminium	1	1TD164
TDW	TD-194	68,15	90x40	11.2 (media/average 800 - 16kHz)	10.2dB (+2dB -6.4dB)	Aluminium	1	1TD194
TDW	TD-365	89,80	60x50	11.1 (media/average 0.63 - 16kHz)	10.3dB (+1.9dB -2.4dB)	Aluminium	1.2	1TD365
TDW	TD-385	89,80	80x50	12.4 (media/average 0.63 - 16kHz)	10.5dB (+3.5dB -3.2dB)	Aluminium	1.2	1TD385
TDW	TD-460/N	229,12	60x40	18.5 (media/average 0.63 - 16kHz)	12.7dB (+3.1dB -4.1dB)	Rig poly foam	2	1TD460NR
TDW	TD-8060	23,28	80x60	10.3 (media/average 1- 16kHz)	7.7dB (+4dB -3.7dB)	Polycarbonat	0.130	1TD8060
TDW	TD-WL4	106,02	90x20	60 (media/average 1.2 - 16kHz)	15.5dB (+7dB -8.1dB)	Aluminium	1.5	1TDWL4

COMPRESSION DRIVERS WITH WAVES GUIDE											
Formato	Name	PRICE (EUR)	POWER (W	XOVER (Hz -	SEN. (dB 2.83V-	COIL DIAM.	FREQ. RANGE	DIAPH.	NET WEIGHT		
			AES)	12dB/Oct.)	1m)	(in)	(Hz)	MATERIAL	(kg)	MAGNET	Item number
1.4	WL5	996,68	50	800	108	2.85	600-20000	Ti/Polyester	2.62	Nd	1WL58R
0.8	WL3	502,62	40	1500	105	1.75	700-20000	Polyester	1	Nd	1WL38R
0.8	WL3/Fe	201,06	70	1800	102	1.75	1000-18000	PM4	1.7	Ferr	1WL3FE8
0.8	WL4	519,75	40	1500	105	1.75	700-20000	Polyester	1.1	Nd	1WL48R
0.8	WL4Fe/N	266,45	70	1200	104	1.75	700-20000	PM4	1.81	Ferr	1WL4FEN8

PLEATED DIAGRAM TWEETERS											
Formato	Name	PRICE (EUR)	POWER (W	SEN. (dB 2.83V-	XOVER (Hz -	FREQ. RANGE	DIAPH.	NET WEIGHT			
			AES)	1m)	12dB/Oct.)	(Hz)	MATERIAL	(kg)	MAGNET	Item number	
TPL	TPL-150/Black	617,48	80	99	1000	1000-23000	Kapton	2.08	Nd	1TPL15B8	
TPL	TPL-150/H	663,00	80	102	1000	700-23000	Kapton	2.9	Nd	1TPL15H8	
TPL	TPL-150/Silver	617,48	80	99	1000	1000-23000	Kapton	2.08	Nd	1TPL15S8	
TPL	TPL-200/B	708,83	120	101	1000	1000-23000	Kapton	2.75	Nd	1TPL20B8	
TPL	TPL-200/H	762,20	120	104	1000	1000-23000	Kapton	3.55	Nd	1TPL20H8	
TPL	TPL-200/S	708,83	120	101	1000	1000-23000	Kapton	2.75	Nd	1TPL20S8	
TPL	TPL-75	404,46	40	92	1200	1000-23000	Kapton	0.7	Nd	1TPL758	

COMPRESSION TWEETERS												
Formato	Name	PRICE (EUR)	DISPERSION (º - HxV)	POWER (W AES)	XOVER (Hz - 12dB/Oct.)	SEN. (dB 2.83V- 1m)	COIL DIAM. (in)	FREQ. RANGE (Hz)	DIAPH. MATERIAL	NET WEIGHT (kg)	MAGNET	Item number
TWT	CP-12/N	50,12	40º conical	15	6000	107	1	3000-20000	Aluminium	0.75	Ferr	1CP12N8
TWT	CP-21/F	117,38	140x40	25	5000	105	1.5	3500-20000	Aluminium	1.7	Ferr	1CP21F8
TWT	CP-09	59,61	90x60	15	6000	104	1	2000-20000	Aluminium	0.6	Ferr	1TWCP098
TWT	CP-16	44,78	40º conical	15	6000	105	1	3000-20000	Aluminium	0.75	Ferr	1TWCP168
TWT	CP-22	113,09	40º conical	25	5000	107	1.5	5000-20000	Aluminium	1.6	Ferr	1TWCP228

DOME TWEETERS												
Formato	Name	PRICE (EUR)	DISPERSION (º - HxV)	XOVER (Hz - 12dB/Oct.)	SEN. (dB 2.83V- 1m)	COIL DIAM. (in)	FREQ. RANGE (Hz)	DOME MATERIAL	NET WEIGHT (kg)	MAGNET	Item number	
TWT	T-25M	NEW!	153,33	80	2500	88	1	1500-30000	Aluminium/Magnesium	0.6	Ferr	2TW25M4
TWT	T-2030		64,51	60	2000	95	1	1500-20000	Aluminium	0.66	Ferr	2TW20308
TWT	T-25S	NEW!	133,33	80	2500	92	1	1500-20000	Silk	0.6	Ferr	2TW25S4

FULL RANGE												
Formato	Name	PRICE (EUR)	POWER (W AES)	SEN. (dB 2.83V- 1m)	COIL DIAM. (in)	FREQ. RANGE (Hz)	Fs (Hz)	Qts	NET WEIGHT (kg)	MAGNET	Item number	
12	12GA50	123,44	250	102	2	70-18000	90	1.16	3.55	Ferr	112GA508	
4	104ASB1	60,80	50	89	1	120-17000	120	0,43	1,2	Ferr	104ASB1	
4	4FR40	30,57	40	87	0.8	100-20000	92	0.88	0.55	Ferr	104FR408	
3	3FR30V2	NEW!	25,48	30	90.5	0.8	135-20000	133	0.51	0.57	Ferr	103FR30V2M8

PASSIVE FILTERS												
Formato	Name	PRICE (EUR)	POWER (W RMS)	XOVER/CUTOF F FREQ. (kHz)	Z LF (Ohms)	Z HF (Ohms)	ATT. SLOPE (dB/oct. LP/HP)	HF ATTENUATION (dB)	EQ	Item number		
1V	F-100	33,57	300	6.3		8	18	0, -3	0	1FF100		
1V	F-130	36,78	300	3		8	18	0, -3	0	1FF130		
2V	FD-212	111,20	600	1.2	4--8	8	12	0, -3, -6, -7.5	-3/3.5	1FFD212		
2V	FD-250	93,86	600	2	4--8	8	12	0, -3, -6, -7.5	-3/3.5	1FFD250		
2V	FD-2CX	95,33	500	2,6	8	8	24	-	-	1FFD2CX		
2V	FD-2CXFe	38,11	400	3.8	8	8	12	-		1FFD2CXFE		
2V	FD-2XA	99,89	600	1.8	8	16	12	0, -1.5	-	1FFD2XA		
3V	FD-350	121,52	600	2 -- 7	4--8	8	12	0, -6	-3/3.5	1FFD350		
2V	2 Ways Hi-Fi	30,60	300	3	8	8	6--12	-	0	2FF2VHF		

SHAKERS

Formato	Name	PRICE (EUR)	POWER (W AES)	COIL DIAM. (in)	Fs (Hz)	FREQ. RANGE (Hz)	MAGNET	Item number
SD	SK-07/T	189,85	50	3	47	20-100	Nd	1SK07T6

ACCESSORIES

Formato	Name	PRICE (EUR)	Item number
SD	AM1	34,13	1ACAM1R
SD	AM21	79,21	1ACAM21
SD	RE8/N	15,99	3ACRE8N
SD	VM-30	6,95	3ACVM30
SD	AM-1P	10,00	1ACAM1PR

Pin

Formato	Name	PRICE (EUR)	Packaging	Item number
SD	PIN 8 x 12mm SIN CABLE	20,27	50	1PIN081201
SD	PIN 8 x 16mm CON CABLE	21,59	20	1PIN0816W01
SD	PIN 10 x 20 CON CABLE	24,11	20	1PIN1020W01
SD	PIN 12 x 30 CON CABLE	56,79	20	1PIN1230W01

EFFECTIVE: 6TH JUNE 2022

SHIPPING TERMS AND CONDITIONS:

Guarantee. Beyma loudspeakers, are guaranteed for 3 years.

Excluded: accident, use out of specifications and damage transport.

For more information please visit our website www.beyma.com.

Prices are quoted "EXW" Moncada, Valencia (SPAIN)

Prices for the standard product (8 Ohms).

Availability of these products in 4 and 16 Ohms need to be checked with Acustica Beyma.

There might be variations on availability, delivery time, minimum quantity requirements and prices.

Specifications, features and prices can change without notice.

The AES power is related to the minimum impedance of the speaker.

The RMS power is related to the nominal impedance of the speaker.

Prices per unit.

REMARKS:

Passive filters (*) price per unit. Sold per pairs.

Compression drivers with wave guide (*) price per pair. Sold per pair.

1ACAM1PR-ABS ADAPTOR PRICE PER PAIR. SOLD PER PAIRS

4FR40 (**) sold in groups of 20 pcs

3FR30V2 (**) sold in groups of 32 pcs

PINS: UNIT PRICE. SOLD IN GROUPS

beyma Recone Price List

LOW AND MID FRECUENCY

Formato	Name	Recone Item	PRICE (EUR)	Formato	Name	Recone Item	PRICE (EUR)
21	21LEX1600Nd	5M21LEX16ND8	318,41	15	15P80Nd	5M15P80ND8	159,00
21	21QLEX1600Fe	5M21QLEX16FE8	415,70	15	15QLEX1600Fe	5M15QLEX16FE8	245,75
18	18G40	5M18G48	163,75	15	SM-115/K	5M15SMK8	100,15
18	18G550	5M18G558	216,70	15	SM-115/N	5M15SMN8	108,21
18	18LEX1000Fe	5M18LEX108	158,43	15	15SW1300Nd	5M15SW13ND8	150,02
18	18LEX1600Fe	5M18LEX16FE8	212,75	15	15WR400	5M15WR408	106,74
18	18LEX1600Nd	5M18LEX16ND8	214,77	15	15WRS400	5M15WR408	106,74
18	18LX60V2	5M18LX60V28	138,82	14	14MC700Nd	5M14MC70ND8	134,36
18	18P1000/Fe V2	5M18P10FEV28	146,47	12	12G40	5M12G48	113,67
18	18P1000Nd	5M18P10ND8	161,30	12	12LEX1000Fe	5M12LEX10FE8	140,97
18	18P1200Nd/N	5M18P12NDN8	163,51	12	12LEX1300Nd	5M12LEX13ND8	191,64
18	18P80Nd	5M18P80ND8	160,70	12	12LW30/N	5M12LW30N8	81,80
18	18PW1400Fe	5M18PW14FE8	154,75	12	12LX60V2	5M12LX60V28	113,91
18	18PWB1000Fe	5M18PWB10FE8	159,93	12	12MC500	5M12MC508	95,42
18	18QLEX1600Fe	5M18QLEX16FE8	253,13	12	12MC700Nd	5M12MC70ND8	111,63
18	18WRS600	5M18WRS608	115,40	12	12MCB700	5M12MCB708	107,78
15	15G450N	5M15G4N8	180,99	12	12MCS500	5M12MC508	95,42
15	15LEX1000Fe	5M15LEX108	141,31	12	12MI100	5M12MI108	112,23
15	15LEX1600Fe	5M15LEX16FE8	214,43	12	12P1000Nd	5M12P10ND8	167,91
15	15LEX1600Nd	5M15LEX16ND8	210,19	12	12P80Fe/V2	5M12P80FEV28	143,87
15	15LW30	5M15LW308	130,62	12	12P80Nd/V2	5M12P80NDV28	179,84
15	15LX60V2	5M15LX60V28	125,09	12	SM-212	5M12SM218	70,57
15	15MC500	5M15MC508	114,03	12	SM-112/N	5M12SMN8	82,95
15	15MC700	5M15MC708	132,31	12	12WR400	5M12WR408	90,96
15	15MC700Nd	5M15MC70ND8	129,26	12	12WRS400	5M12WR408	90,96
15	15MCB700	5M15MCB708	127,18	10	10G40	5M10G48	90,60
15	15MCS500	5M15MC508	114,03	10	10MC500	5M10MC508	96,27
15	15P1000Fe/V2	5M15P10FEV28	146,16	10	10MC700Nd	5M10MC70ND8	102,93
15	15P1000Nd	5M15P10ND8	153,47	10	10MCB700	5M10MCB708	145,00
15	15P1200Nd/N	5M15P12NDN8	183,38	10	10MCF400Nd	5M10MCF40ND8	175,84
15	15P80Fe	5M15P80FE8	131,72	10	10MI100	5M10MI108	116,01
15	15P80Fe/N	5M15P80FE8	131,72	10	SM-110/N	5M10SMN8	61,67

10	10WR300	5M10WR308	65,43	8	8WRS300	5M8WR308	59,51
10	10WRS300	5M10WR308	65,43	6	6G40Fe	5M6G4FE8	61,49
				6	6G40Nd	5M6G4ND8	60,05
8	8G40	5M8G408	61,37	6	6MCF200Nd	5M6MCF20ND8	85,30
8	8LW30	5M8G408	61,37	6	6MI100	5M6MI108	64,30
8	8MC300Nd	5M8MC30ND8	61,76	6	6P200Nd	5M6P2ND8	85,38
8	8MC500Nd	5M8MC50ND8	87,91	6	6P200Fe	5M6P2FE8	85,38
8	8MI100	5M8MI108	68,20	5	5G40Nd/N	5M5G4NDN8	57,69
8	8P300Fe/N	5M8P3FE8	80,37	5	5P200Fe	5M5P2FE8	49,88
8	5M-108	5M8SM8	48,33	5	5P200Nd	5M5P2FE8	49,88
8	8WR300	5M8WR308	59,51				

COAXIALS

Formato	Name	Recone Item	PRICE (EUR)	Recone Item	PRICE (EUR)
15	15CXA400Fe	5M15CXA4ND8	130,42	5MCP756	89,71
15	15CXA400Nd	5M15CXA4ND8	130,42	5MCP756	89,71
15	15XA38Nd	5M15XA388	164,19	5MCP756	89,71
12	12CXA400Fe	5M12CXA4ND8	103,34	5MCP756	89,71
12	12XA30Nd	5MCP756	89,71	5M12XA308	132,54
12	12CXA400Nd	5M12CXA4ND8	103,34	5MCP756	89,71
10	10CX300/Fe	5M10CX3FE8	91,44	5MCD10N6	45,98
10	10XC25	5MXC6	58,04	5M10XC258	100,40
8	8CX300Fe	5M8CX3FE8	73,02	5MCD10N6	45,98
8	8CX300Nd/N	5MSMC220PM48	41,36	5M8CX3ND8	73,48
6	6CX200Fe	5M6CX2ND8	86,38	5MCP5CX8	46,87
6	6CX200Nd/N	5M6CX2ND8	86,38	5MSMC2258	58,76
5	5CX200Fe	5MCP5CX8	46,87	5M5CX2ND8	72,87
5	5CX200Nd/N	5M5CX2ND8	72,87	5MSMC2258	58,76

COMPRESSION DRIVERS

Formato	Name	Recone Item	PRICE (EUR)	Formato	Name	Recone Item	PRICE (EUR)
2	CP-750/Ti	5MCP758	89,71	1.4	CD-14Fe	5MCD148	94,01
2	CP-800/Ti	5MCP80T8	210,05	1.4	CD-14Nd	5MCD148	94,01
2	SMC-60	5MSMC608R	89,83	1	CD1S	5MCD1S8	34,58
2	CP-850Nd	5MCP80T8	210,05	1	CP-380/M	5MCP38M8	69,88
1.4	SMC-65	5MSMC608R	89,83	1	CP-385Nd	5MCP385N8	76,39
1.4	SMC-65Nd	5MSMC608R	89,83	1	CD-11Fe	5MCD118	48,72
1.4	CP-855Nd	5MCP80T8	210,05	1	CD-11Fe/S	5MCD118	48,72
1.4	CP-755Nd	5MCP758	89,71	1	CD-11Nd	5MCD118	48,72
1.4	CP-755Nd/AL	5MCP755AL8	102,91	1	CD-10Fe/N	5MCD10N8	48,88
1.4	CP-755Ti	5MCP758	89,71	1	CD-10Nd/N	5MCD10N8	48,88
1.4	CD-1014Fe/N	5MCD10N8	48,88	1	SMC-8060/N	5MSMC28N8	45,49
1.4	CD-1014Nd/N	5MCD10N8	48,88	1	SMC-225Nd	5MSMC2258	58,76
1.4	CD-1114Fe	5MCD118	48,72	1	SMC-280/N	5MSMC28N8	45,49

COMPRESSION DRIVERS WITH WAVES GUIDE

Formato	Name	Recone Item	PRICE (EUR)
1.4	WL5	5MSMC608R	89,83
0.8	WL3	5MSMC2258	58,76
0.8	WL3/Fe	5MSMC220PM48	41,36
0.8	WL4	5MSMC2258	58,76
0.8	WL4Fe/N	5MSMC220PM48	41,36

PLEATED DIAGRAM TWEETERS

Formato	Name	Recone Item	PRICE (EUR)
SD	TPL-150/Black	5MTPL158	125,66
SD	TPL-150/H	5MTPL158	125,66
SD	TPL-150/Silver	5MTPL158	125,66
SD	TPL-200/B	5MTPL208	211,93
SD	TPL-200/H	5MTPL208	211,93
SD	TPL-200/S	5MTPL208	211,93
SD	TPL-75	5MTPL758	92,72

COMPRESSION TWEETERS

Formato	Name	Recone Item	PRICE (EUR)
SD	CP-12/N	5MCP168	28,42
SD	CP-21/F	5MCP228	58,33
SD	CP-09	5MCP168	28,42
SD	CP-16	5MCP168	28,42
SD	CP-22	5MCP228	58,33

DOME TWEETERS

Formato	Name	Recone Item	PRICE (EUR)
SD	T-2030	5MT20308	33,74

FULL RANGE

Formato	Name	Recone Item	PRICE (EUR)
12	12GA50	5M12GA508	52,74

EFFECTIVE: 28TH FEBRUARY 2022

SHIPPING TERMS AND CONDITIONS:

Guarantee. Beyma loudspeakers, are guaranteed for 3 years.

Excluded: accident, use out of specifications and damage transport.

For more information please visit our website www.beyma.com.

Prices are quoted "EXW" Moncada, Valencia (SPAIN)

There might be variations on availability, delivery time,
minimum quantity requirements and prices.

Specifications, features and prices can change without notice.



CMV2 Family Price List

Name	Item name	PRICE (EUR)	Item number
6CMV2	LOUDSPEAKER 6CMV2 8 OH	37,63	606CMV28
8CMV2	LOUDSPEAKER 8CM V2 8 OH	45,11	608CMV28
10CMV2	LOUDSPEAKER 10CM/V2 8 OH	54,12	610CMV28
12CMV2	LOUDSPEAKER 12CMV2 8 OH	78,69	612CMV28
15CMV2	LOUDSPEAKER 15CM V2 8 OH	101,79	615CMV28

EFFECTIVE: 28TH FEBRUARY 2022

SHIPPING TERMS AND CONDITIONS: Specifications, features and prices can change without notice.

Guarantee. Beyma loudspeakers, are guaranteed for 3 years.

Excluded: accident, use out of specifications and damage transport.

For more information please visit our website Prices per unit.

Prices are quoted "EXW" Moncada, Valencia (SPAIN)

There might be variations on availability, delivery time,
minimum quantity requirements and prices.



CMV2 Family Price List

Name	Item name	PRICE (EUR)	Qté = 6	Qté = 20	Item number
6CMV2	LOUDSPEAKER 6CMV2 8 OH	37,63	26,34	23,71	606CMV28
8CMV2	LOUDSPEAKER 8CM V2 8 OH	45,11	31,58	28,42	608CMV28
10CMV2	LOUDSPEAKER 10CM/V2 8 OH	54,12	37,88	34,10	610CMV28
12CMV2	LOUDSPEAKER 12CMV2 8 OH	78,69	55,08	49,57	612CMV28
15CMV2	LOUDSPEAKER 15CM V2 8 OH	101,79	71,25	64,13	615CMV28