

beyma //

2023

PRICE

LIST



Price List

LOW AND MID FREQUENCY

Format	Name	PRICE (EUR)	POWER (W AES)	SEN. (dB 2.83V-1m)	COIL DIAM. (in)	FREQ. RANGE (Hz)	Fs (Hz)	Qts	Vas (l)	NET WEIGHT (kg)	MAGNET	Item number
21"												
21	21LEX1600Nd	817,00	1600	98	4	30-1000	30	0.29	305	11,8	Nd	121LEX16ND8
21	21QLEX1600Fe	674,00	1600	98	4	30-1000	30	0.28	309	17,1	Ferr	121QLEX16FE8
18"												
18	18LEX1600Nd	643,00	1600	96	4	35-1000	33	0.43	231	9,5	Nd	118LEX16ND8
18	18LEX1000Nd	403,00	1000	98	3.5	35-1000	34	0.39	260	7,3	Nd	118LEX10ND8
18	18QLEX1600Fe	489,00	1600	97	4	30-1000	30	0.23	195	14,6	Ferr	118QLEX16FE8
18	18LEX1600Fe	449,00	1600	97	4	35-1000	34	0.38	188	14,6	Ferr	118LEX16FE8
18	18PW1400Fe/S	442,00	1400	98	4	25-1800	32	0.27	228,9	16,9	Ferr	118PW14FE8
18	18P1000FeV2/S	425,00	1200	98	4	30-2000	33	0.32	230	13,5	Ferr	118P10FEV2S8
18	18PWB1000Fe/S	420,00	1000	96	4	30-2000	37	0.38	317	13,5	Ferr	118PWB10FE8
18	18LEX1000Fe	360,00	1000	98	3.5	35-1000	34	0.38	250	11,7	Ferr	118LEX10FE8
18	18LX60V2/S	358,00	700	98	4	25-1000	35	0.48	236	11,2	Ferr	118LX60V2S8
18	18WRS600	280,00	600	97	3	35-1000	30	0.47	354	8,7	Ferr	118WRS608
15"												
15	15LEX1600Nd	626,00	1600	96	4	40-1500	41	0.36	91	8,8	Nd	115LEX16ND8
15	15LEX1000Nd	399,00	1000	97	3.5	40-1500	41	0.37	113	7,6	Nd	115LEX10ND8
15	15P80Nd	524,00	800	101	4	40-4000	39	0.21	184	6	Nd	115P80ND8
15	15MC700Nd	391,00	700	100	3	50-4000	49	0.21	105	4,2	Nd	115MC70ND8
15	15QLEX1600Fe	452,00	1600	96	4	35-1000	33	0.31	102	13,9	Ferr	115QLEX16FE8
15	15LEX1600Fe	406,00	1600	96	4	40-1500	38	0.33	106	13,9	Ferr	115LEX16FE8
15	15P1000FeV2	377,00	1000	98	4	45-2000	45	0.3	80,7	13,1	Ferr	115P10FEV28
15	15LEX1000Fe	325,00	1000	97	3.5	40-1000	41	0.34	116	11	Ferr	115LEX10FE8
15	15P80Fe/N	388,00	800	101	4	30-4000	32	0.18	305	12,5	Ferr	115P80FE8
15	15LX60V2	310,00	700	98	4	30-1500	42	0.44	105,53	10,2	Ferr	115LX60V28
15	15MCB700	270,00	700	99	3	45-4000	44	0.34	148	8	Ferr	115MCB708
15	15MCS500	223,00	500	98	2.5	50-4000	46	0.45	134	6,2	Ferr	115MCS508
15	15MCS500	193,00	500	98	2.5	50-4000	46	0.48	134	6,2	Ferr	115MCS508
15	15WR400	229,00	400	99	3	40-4000	36	0.3	236	6,1	Ferr	115WR408
15	15WRS400	196,00	400	98,5	3	40-4000	36	0.33	236	6,25	Ferr	115WRS408
15	15CMV2	148,00	350	97	3	50-4000	49	0.49	104	6	Ferr	615CMV28
14"												
14	14MC700Nd	371,00	700	99	3	55-4000	51	0.28	78	4	Nd	114MC70ND8
12"												
12	12LEX1300Nd	582,00	1300	96	4	45-1500	45	0.24	43	8,3	Nd	112LEX13ND8
12	12P1000Nd	493,00	900	96	4	50-2000	47	0.26	49	5,4	Nd	112P10ND8
12	12P80Nd/V2	487,00	700	100	4	50-4000	47	0.19	65	5,6	Nd	112P80NDV28
12	12MC700Nd	352,00	700	99	3	60-4000	51	0.24	58	3,7	Nd	112MC70ND8
12	12LEX1000Fe	320,00	1000	95	3.5	50-1500	49	0.3	38,4	10,4	Ferr	112LEX10FE8
12	12P80Fe/V2	318,00	700	99	4	50-4000	48	0.21	61	11,5	Ferr	112P80FEV28
12	12LX60V2	256,00	700	96	4	35-2000	49	0.38	43	9,7	Ferr	112LX60V28
12	12MCB700	225,00	700	98	3	55-4000	51	0.27	59,5	7,8	Ferr	112MCB708
12	12G40	214,00	500	97	3	45-4000	44	0.3	81	7,1	Ferr	112G48
12	12MC500	196,00	500	98	2.5	65-5000	57	0.34	57	5,86	Ferr	112MC508
12	12MCS500	175,00	500	98	2.5	65-5000	57	0.36	57	6	Ferr	112MCS508
12	12M1100	230,00	450	100	3	60-4000	58	0.22	64	7,2	Ferr	112M1108
12	12WR400	185,00	400	97	3	45-5000	42	0.27	91	5,5	Ferr	112WR408
12	12WRS400	158,00	400	97	3	45-5000	42	0.29	91	5,5	Ferr	112WRS408
12	12CMV2	114,00	320	96	2.5	50-6000	49	0.47	76	4,6	Ferr	612CMV28
12	12BR70	129,00	125 W RMS	93	2	35-4000	31	0.50	142	3,6	Ferr	212BR708
10"												
10	10MC700Nd	343,00	700	97	3	65-4000	63	0.22	20	3,6	Nd	110MC70ND8
10	10MCF400Nd	657,00	400	102	4	300-5000	260	0.44	2	6,2	Nd	110MCF40ND8
10	10MCB700	221,00	700	96	3	80-4000	36	0.33	13,2	7,6	Ferr	110MCB708
10	10MCS500	186,00	500	97	2.5	70-5000	65	0.29	24	5,7	Ferr	110MCS508
10	10MCS500	167,00	500	96,5	2.5	70-5000	65	0.31	24	5,7	Ferr	110MCS508
10	10G40	180,00	400	95	3	45-4000	45	0.3	49	5,7	Ferr	110G48
10	10NMFS	NEW!	350	90	2.5	30-2000	35	0.42	45	6,5	Ferr	210NMFS8
10	10M1100	225,00	350	98	3	70-4000	50	0.21	54	7,1	Ferr	110M1108
10	10WR300	132,00	300	95	2	55-5000	52	0.35	42	3,5	Ferr	110WR308
10	10WRS300	113,00	300	95	2	55-5000	52	0.38	42	3,5	Ferr	110WRS308
10	10CMV2	78,00	250	95	1.5	60-5000	52	0.42	44	3,1	Ferr	610CMV28
10	10BR60V2	112,00	100 W RMS	92	2	30-5000	29	0.39	142	2,9	Ferr	210BR60V28



LOW AND MID FREQUENCY

Format	Name	PRICE (EUR)	POWER (W AES)	SEN. (dB 2.83V-1m)	COIL DIAM. (in)	FREQ. RANGE (Hz)	Fs (Hz)	Qts	Vas (l)	NET WEIGHT (kg)	MAGNET	Item number
8"												
8	8MC500Nd	250,00	500	98	2.5	80-6000	69	0.18	15.9	2.8	Nd	108MC50ND8
8	8MC300Nd	222,00	300	96	2	80-4000	76	0.28	11.6	1.9	Nd	108MC30ND8
8	8P300Fe/N	133,00	300	94	2.5	55-8000	53	0.31	24.8	4	Ferr	108P3FEN8
8	8WR300	117,00	300	95	2	65-4000	65	0.27	15	3.3	Ferr	108WR308
8	8WRS300	98,00	300	95	2	65-4000	65	0.28	15	3.25	Ferr	108WRS308
8	8G40	130,00	250	95	2.5	70-6000	70	0.36	17	3.3	Ferr	108G48
8	8MI100	110,00	250	96	2	100-7000	90	0.45	12	3.1	Ferr	108MI1008
8	8CMV2	67,00	250	94	1.5	80-8000	75	0.52	14.6	2.4	Ferr	608CMV28
8	8NMFV	NEW!	200	90	2	30-2500	37	0.34	27	3.7	Ferr	208NMFV8
8	8BR40/N	70,00	50 W RMS	91	1	30-6000	30	0.39	89.1	1.35	Ferr	208BR40N8
6"												
6	6MCF200Nd	378,00	200	97	2	400-12000	406	0.72	0.27	2.3	Nd	106MCF20ND8
6	6P200Nd	172,00	200	92	2	60-3000	56	0.29	11.9	1.9	Nd	106P200ND8
6	6G40Nd	159,00	170	94	2	90-8000	85	0.33	7	1.6	Nd	106G4ND8
6	6MI100	95,00	250	94	2	100-8000	128	0.51	3.1	3	Ferr	106MI108
6	6CMV2	61,00	220	94	1.5	95-8000	90	0.34	6.5	2.2	Ferr	606CMV28
6	6NMFV	NEW!	200	87	2	35-3000	40	0.34	11	3.5	Ferr	206NMFV8
6	6P200Fe	115,00	200	93	2	60-9000	58	0.26	11.1	3.1	Ferr	106P2FE8
6	6B30/P	60,00	50	90	1	55-8000	56	0.50	15.6	1.2	Ferr	206B30P8
5"												
5	5P200Nd	146,00	150	92	1.5	70-10000	78	0.3	4.5	1.24	Nd	105P2ND8
5	5G40Nd/N	132,00	100	92	1.5	150-17000	140	0.45	1.4	1.2	Nd	105G4ND8
5	5P200Fe	88,00	150	92	1.5	70-10000	72	0.33	5.7	2.2	Ferr	105P2FE8
5	5MP60/N	68,00	50 W RMS	88	1	65-12000	63	0.46	5.8	1.2	Ferr	205MP6N8

COAXIALS

Format	Name	PRICE (EUR)	POWER LF/HF (W AES)	SEN. LF/HF (dB 2.83V-1m)	COIL DIAM. LF/HF (in)	FREQ. RANGE (Hz)	Fs (Hz)	Qts	Vas (l)	NET WEIGHT (kg)	MAGNET	Item number
15" to 5"												
15	15CX400Nd	668,00	400/90	98/105	4/2.85 in	40-20000	40	0.36	196	7.2	Nd	115CX4ND8
15	15XA38Nd	601,00	350/90	99/105	4/2.85 in	40-20000	38	0.3	238	6.8	Nd	115XA38ND8
15	15CX400Fe	464,00	400/80	98/105	4 / 2.9	35-20000	40	0.42	191	11.9	Ferr	115CX4FE8
12	12CX400Nd	649,00	400/90	98/105	4/2.85 in	50-20000	45	0.25	88.5	6.5	Nd	112CX4ND8
12	12XA30Nd	589,00	350/90	98/105	4 / 2.9	35-20000	35	0.21	172	6.3	Nd	112XA30ND8
12	12CX400Fe	436,00	400/80	96/105	4/2.87	40-20000	42	0.25	94	11.3	Ferr	112CX4FE8
10	10CX300/Fe	371,00	300/50	96.5/104	2.5/1.75	50-20000	48	0.38	63	5.1	Ferr	110CX3FE8
8	8CX300Nd/N	416,00	250/50	96/104	2.5/1.75	60-20000	61	0.29	23	2.8	Nd	108CX3NDN8
8	8CX300Fe	275,00	300/50	95/105	2.5/1.75	90-20000	89	0.55	10.8	4.6	Ferr	108CX3FE8
6	6CX200Nd/N	368,00	200/40	92/103	2/1.75	65-20000	65	0.27	9.4	2	Nd	106CX2NDN8
6	6CX200Fe	207,00	200/25	94/102	2/1 in	60-20000	65	0.32	10.54	3.6	Ferr	106CX2FE8
5	5CX200Nd/N	328,00	150/40	92.5/102	1.5/1.75	75-20000	75	0.28	9.1	1.6	Nd	105CX2NDN8
5	5CX200Fe	188,00	150/25	92/105	1.5/1 in	85-20000	82	0.41	5.3	2.51	Ferr	105CX2FE8

COMPRESSION DRIVERS

Format	Name	PRICE (EUR)	POWER (W AES)	XOVER (Hz - 12dB/Oct.)	SEN. (dB 2.83V-1m)	COIL DIAM. (in)	FREQ. RANGE (Hz)	DIAPH. MATERIAL	NET WEIGHT (kg)	MAGNET	Item number	Notes	
2" exit													
2	CP-850Nd	787,00	100	500	112	4	500-20000	Titanium	4.4	Nd	1CP85ND8		
2	CP-800/Ti	477,00	100	500	112	4	500-20000	Titanium	10.3	Ferr	1CP80Ti8		
2	CP-750/Ti	305,00	70	800	110	2.85	600-20000	Ti/Polyester	7.05	Ferr	1CP75Ti8		
2	SMC-60	246,00	80	800	109	2.85	500-18000	Ti/Polyester	4.5	Ferr	1SMC608R		
1.4" exit													
1.4	CD-314Nd/Ti	NEW!	300,00	90/130	800/1200	110	3	600-20000	Titanium	1.8	Nd	1CD314NDTi8	
1.4	CP-755Nd	421,00	60/80	800/1500	110	2.85	600-20000	Ti/Polyester	2.9	Nd	1CP755ND8		
1.4	SMC-65Nd	290,00	50/70	800/1500	108	2.85	600-20000	Ti/Polyester	2.2	Nd	1SMC65ND8R		
1.4	CD-2514Nd/Ti	NEW!	265,00	80/100	800/1200	108.5	2.5	600-20000	Titanium	1.8	Nd	1CD2514NDTi8	
1.4	CD-2514Nd/PK	NEW!	265,00	80/100	800/1200	109.5	2.5	600-20000	High Temperature Polymer	1.8	Nd	1CD2514NDPK8	
1.4	CD-2514Nd/PT	NEW!	265,00	80/100	800/1200	109	2.5	600-20000	Advanced Polyester	1.8	Nd	1CD2514NDPT8	
1.4	CD-14Nd	248,00	60/80	800/1200	108	2.5	600-17000	PM4	1.9	Nd	1CD14ND8		
1.4	CD-314Fe/Ti	NEW!	230,00	90/130	800/1200	109	3	600-20000	Titanium	5.4	Ferr	1CD314FETi8	
1.4	CP-755Ti	259,00	70/90	800/1500	110	2.85	600-20000	Ti/Polyester	6.75	Ferr	1CP755Ti8		
1.4	SMC-65	181,00	50/70	800/1500	107	2.85	700-18000	Ti/Polyester	4.2	Ferr	1SMC658		
1.4	CD-2514Fe/PK	NEW!	185,00	80/100	800/1200	109	2.5	600-20000	High Temperature Polymer	3.5	Ferr	1CD2514FEPK8	
1.4	CD-2514Fe/Ti	NEW!	185,00	80/100	800/1200	108	2.5	600-20000	Titanium	3.5	Ferr	1CD2514FETi8	
1.4	CD-2514Fe/PT	NEW!	185,00	80/100	800/1200	108.5	2.5	600-20000	Advanced Polyester	3.5	Ferr	1CD2514FPT8	
1.4	CD-14Fe	163,00	60/80	800/1200	107	2.5	500-16000	PM4	3.3	Ferr	1CD14FE8		
1.4	CD-1014Fe/N	115,00	70	1200	110	1.75	700-19000	PM4	2	Ferr	1CD1014FEN8		
1.4	CD-1114Fe	NEW!	108,00	70	1500	109	1.75	700-19000	PM4	1.9	Ferr	1CD1114FE8	



COMPRESSION DRIVERS

Format	Name	PRICE (EUR)	POWER (W AES)	XOVER (Hz - 12dB/Oct.)	SEN. (dB 2.83V-1m)	COIL DIAM. (in)	FREQ. RANGE (Hz)	DIAPH. MATERIAL	NET WEIGHT (kg)	MAGNET	Item number	Notes
1" exit												
1	CP-385Nd	225,00	70	1500	109	1.75	800-20000	Polyester	1.3	Nd	1CP385N8	
1	CD-11Nd	201,00	70	1500	111	1.75	700-19000	PM4	1.3	Nd	1CD11ND8	
1	CD-10Nd/N	195,00	70	1200	111	1.75	700-19000	PM4	1.2	Nd	1CD10NDN8	
1	SMC-225Nd	155,00	40	1500	108	1.75	800-20000	Polyester	0.7	Nd	1SMC225ND8	
1	CD-171Fe/PK	NEW! 118,00	80	1400	109	1.75	800-20000	High Temperature Polymer	2.3	Ferr	1CD171FEPK8	1
1	CD-171Fe/PT	NEW! 118,00	80	1200	108	1.75	800-20000	Advanced Polyester	2.3	Ferr	1CD171FEPT8	1
1	SMC-8060/N	110,00	50	1500	107	1.75	800-18000	Polyester	1.5	Ferr	1SMC8060N8	
1	CD-11Fe	101,00	70	1500	109	1.75	700-19000	PM4	1.8	Ferr	1CD11FE8	
1	SMC-280/N	88,00	50	1500	105	1.75	800-18000	Polyester	1.3	Ferr	1SMC28N8	
1	CD-10Fe/N	84,00	70	1200	109	1.75	700-19000	PM4	1.3	Ferr	1CD10FEN8	
1	CD-151Fe/PK	NEW! 102,00	70	1800	110	1.5	900-20000	High Temperature Polymer	1.3	Ferr	1CD151FEPK8	1
1	CD-151Fe/PT	NEW! 102,00	70	1800	110	1.5	900-20000	Advanced Polyester	1.3	Ferr	1CD151FEPT8	1
1	CD1S	56,00	30	2500	106	1	2000-20000	PM4	0.6	Ferr	1CD1S8	

HORNS

Format	Name	PRICE (EUR)	DISPERSION (° - HxV)	Xmax (mm)	DI (dB)	MATERIAL	NET WEIGHT (kg)	Item number
TDW	TD-460/N	229,00	60x40	18.5 (media/average 0.63 - 16kHz)	12.7dB (+3.1dB -4.1dB)	Rigid polyurethane foam	2	1TD460NR
TDW	TD-WL4	106,00	90x20	60 (media/average 1.2 - 16kHz)	15.5dB (+7dB -8.1dB)	Aluminium	1.5	1TDWL4
TDW	TD-365	72,00	60x50	11.1 (media/average 0.63 - 16kHz)	10.3dB (+1.9dB -2.4dB)	Aluminium	1.2	1TD365
TDW	TD-385	72,00	80x50	12.4 (media/average 0.63 - 16kHz)	10.5dB (+3.5dB -3.2dB)	Aluminium	1.2	1TD385
TDW	TD-194	55,00	90x40	11.2 (media/average 800 - 16kHz)	10.2dB (+2dB -6.4dB)	Aluminium	1	1TD194
TDW	TD-164	54,00	60x40	14.1 (media/average 800 - 16kHz)	11dB (+2dB -6.4dB)	Aluminium	1	1TD164
TDW	TD-1124P	NEW! 24,00	120x40		9.4 dB	Reinforced polycarbonate	0.3	1TD1124P
TDW	TD-164P	NEW! 22,00	60x40		10.5 dB	Reinforced polycarbonate	0.28	1TD164P
TDW	TD-196P	NEW! 22,00	90x60		8.8 dB	Reinforced polycarbonate	0.28	1TD196P
TDW	TD-8060	21,00	80x60	10.3 (media/average 1- 16kHz)	7.7dB (+4dB -3.7dB)	Polycarbonate	0.130	1TD8060

COMPRESSION DRIVERS WITH WAVES GUIDE

Format	Name	PRICE (EUR)	POWER (W AES)	XOVER (Hz - 12dB/Oct.)	SEN. (dB 2.83V-1m)	COIL DIAM. (in)	FREQ. RANGE (Hz)	DIAPH. MATERIAL	NET WEIGHT (kg)	MAGNET	Item number	Notes
0.8	WL4	520,00	40	1500	105	1.75	700-20000	Polyester	1.1	Nd	1WL48R	3
0.8	WL4Fe/N	266,00	70	1200	104	1.75	700-20000	PM4	1.81	Ferr	1WL4FEN8	3
0.8	WL3/Fe	201,00	70	1800	102	1.75	1000-18000	PM4	1.7	Ferr	1WL3FE8	3

AMT DRIVERS

Format	Name	PRICE (EUR)	POWER (W AES)	SEN. (dB 2.83V-1m)	XOVER (Hz - 12dB/Oct.)	FREQ. RANGE (Hz)	DIAPH. MATERIAL	NET WEIGHT (kg)	MAGNET	Item number
TPL	TPL-200/H	762,00	120	104	1000	1000-23000	Kapton	3.55	Nd	1TPL20H8
TPL	TPL-200/B	709,00	120	101	1000	1000-23000	Kapton	2.75	Nd	1TPL20B8
TPL	TPL-150/H	663,00	80	102	1000	700-23000	Kapton	2.9	Nd	1TPL15H8
TPL	TPL-150/Black	617,00	80	99	1000	1000-23000	Kapton	2.08	Nd	1TPL15B8
TPL	TPL-75	404,00	40	92	1200	1000-23000	Kapton	0.7	Nd	1TPL758

COMPRESSION TWEETERS

Format	Name	PRICE (EUR)	DISPERSION (° - HxV)	POWER (W AES)	XOVER (Hz - 12dB/Oct.)	SEN. (dB 2.83V-1m)	COIL DIAM. (in)	FREQ. RANGE (Hz)	DIAPH. MATERIAL	NET WEIGHT (kg)	MAGNET	Item number
TWT	CP-21F	117,00	140x40	25	5000	105	1.5	3500-20000	Aluminium	1.7	Ferr	1CP21F8
TWT	CP-22	113,00	40° conical	25	5000	107	1.5	5000-20000	Aluminium	1.6	Ferr	1TWC228
TWT	CP-09	60,00	90x60	15	6000	104	1	2000-20000	Aluminium	0.6	Ferr	1TWC098
TWT	CP-12/N	50,00	40° conical	15	6000	107	1	3000-20000	Aluminium	0.75	Ferr	1CP12N8
TWT	CP-16	45,00	40° conical	15	6000	105	1	3000-20000	Aluminium	0.75	Ferr	1TWC168

DOMES TWEETERS

Format	Name	PRICE (EUR)	DISPERSION (° - HxV)	XOVER (Hz - 12dB/Oct.)	SEN. (dB 2.83V-1m)	COIL DIAM. (in)	FREQ. RANGE (Hz)	DOMES MATERIAL	NET WEIGHT (kg)	MAGNET	Item number
TWT	T-25M	NEW! 153,00	80	2500	88	1	1500-30000	Aluminium/Magnesium alloy	0.6	Ferr	2TW25M4
TWT	T-25S	NEW! 133,00	80	2500	92	1	1500-20000	Silk	0.6	Ferr	2TW25S4
TWT	T-2030	65,00	60	2000	95	1	1500-20000	Aluminium	0.66	Ferr	2TW20308



FULL RANGE

Format	Name	PRICE (EUR)	POWER (W AES)	SEN. (dB 2.83V-1m)	COIL DIAM. (in)	FREQ. RANGE (Hz)	Fs (Hz)	Qts	NET WEIGHT (kg)	MAGNET	Item number	Notes
12	12GA50	124,00	250	102	2	70-18000	90	1.16	3.55	Ferr	112GA508	
4	4FR40	31,00	40	87	0.8	100-20000	92	0.88	0.55	Ferr	104FR408	5
3	3FR30V2	33,80	30	90.5	0.8	135-20000	133	0.51	0.57	Ferr	103FR30V2M8	4

PASSIVE FILTERS

Format	Name	PRICE (EUR)	POWER (W RMS)	XOVER/CUTOFF FREQ. (kHz)	Z LF (Ohms)	Z HF (Ohms)	ATT. SLOPE (dB/oct. LP/HP)	HF ATTENUATION (dB)	EQ	Item number	Notes
3V	FD-350	122,00	600	2 -- 7	4--8	8	12	0,-6	-3/3.5	1FFD350	2
2V	FD-212	111,00	600	1.2	4--8	8	12	0,-3,-6,-7.5	-3/3.5	1FFD212	2
2V	FD-2XA	100,00	600	1.8	8	16	12	0,-1.5	-	1FFD2XA	2
2V	FD-2CX	95,00	500	2,6	8	8	24	-	-	1FFD2CX	2
2V	FD-250	94,00	600	2	4--8	8	12	0,-3,-6,-7.5	-3/3.5	1FFD250	2
2V	FD-2CXFe	38,00	400	3,8	8	8	12	-	-	1FFD2CXFE	2
1V	F-130	37,00	300	3	8	8	18	0,-3	0	1FF130	2
1V	F-100	34,00	300	6,3	8	8	18	0,-3	0	1FF100	2
2V	2 Ways HI-Fi	31,00	300	3	8	8	6--12	-	0	2FF2VHF	2

SHAKERS

Format	Name	PRICE (EUR)	POWER (W AES)	COIL DIAM. (in)	Fs (Hz)	FREQ. RANGE (Hz)	MAGNET	Item number
SD	SK-07/T	190,00	50	3	47	20-100	Nd	1SK07T6

ACCESSORIES

Format	Name	PRICE (EUR)	Packaging	Item number	Notes
ACC	AM1	37,00		1ACAM1R	
ACC	AM-1P	10,00		1ACAM1PR	3
PIN	PIN 12 x 30 CON CABLE	32,00	20	1PIN1230W01	
PIN	PIN 10 x 20 CON CABLE	24,00	20	1PIN1020W01	
PIN	PIN 8 x 16mm CON CABLE	22,00	20	1PIN0816W01	
PIN	PIN 8 x 12mm SIN CABLE	20,00	50	1PIN081201	

SHIPPING TERMS AND CONDITIONS:

EFFECTIVE: 3rd July 2023

Specifications, features and prices can change without notice.

Guarantee. Beyma loudspeakers, are guaranteed for 3 years.

Excluded: accident, use out of specifications and damage transport.

Prices per unit.

Prices are quoted "EXW" Moncada, Valencia (SPAIN)

Prices for the standard product (8 Ohms).

Availability of these products in 4 and 16 Ohms need to be checked with Acustica Beyma.

The AES power is related to the minimum impedance of the speaker.

The RMS power is related to the nominal impedance of the speaker.


There might be variations on availability, delivery time, minimum quantity requirements and prices.

For more information please visit our website www.beyma.com.

V.2.0 2023

Notes

- 1 Please check special prices for the purchase of compression driver and horn pack
- 2 Price per unit. Sold per pairs.
- 3 Price per pair, sold per pair
- 4 Sold in groups of 32 units
- 5 Sold in groups of 20 units



LET'S TALK

Importateur / Distributeur Exclusif France

beyma.com



Valencia, Spain

Recone Price List

LOW AND MID FREQUENCY

Format	Name	Recone Item	PRICE (EUR)
21	21LEX1600Nd	5M21LEX16ND8	370,00
21	21QLEX1600Fe	5M21QLEX16FE8	390,00
18	18LEX1600Nd	5M18LEX16ND8	218,00
18	18LEX1000Nd	5M18LEX108	155,00
18	18QLEX1600Fe	5M18QLEX16FE8	250,00
18	18LEX1600Fe	5M18LEX16FE8	210,00
18	18PW1400Fe/S	5M18PW14FE8	170,00
18	18P1000FeV2/S	5M18P10FEV28	165,00
18	18PWB1000Fe/S	5M18PWB10FE8	160,00
18	18LEX1000Fe	5M18LEX108	155,00
18	18LX60V2/S	5M18LX60V28	140,00
18	18WRS600	5M18WRS608	120,00
15	15LEX1600Nd	5M15LEX16ND8	205,00
15	15LEX1000Nd	5M15LEX108	141,31
15	15P80Nd	5M15P80ND8	163,00
15	15MC700Nd	5M15MC70ND8	129,26
15	15QLEX1600Fe	5M15QLEX16FE8	230,00
15	15LEX1600Fe	5M15LEX16FE8	200,00
15	15P1000Fe/V2	5M15P10FEV28	145,00
15	15LEX1000Fe	5M15LEX108	141,31
15	15P80Fe/N	5M15P80FE8	150,00
15	15LX60V2	5M15LX60V28	127,00
15	15MCB700	5M15MCB708	120,00
15	15MC500	5M15MC508	114,00
15	15MCS500	5M15MC508	114,00
15	15WR400	5M15WR408	105,00
15	15WRS400	5M15WR408	105,00
14	14MC700Nd	5M14MC70ND8	134,00
12	12LEX1300Nd	5M12LEX13ND8	192,00
12	12P1000Nd	5M12P10ND8	168,00
12	12P80Nd/V2	5M12P80NDV28	179,84
12	12MC700Nd	5M12MC70ND8	112,00
12	12LEX1000Fe	5M12LEX10FE8	135,00
12	12P80Fe/V2	5M12P80FEV28	130,00
12	12LX60V2	5M12LX60V28	115,00
12	12MCB700	5M12MCB708	108,00
12	12G40	5M12G48	105,00
12	12MC500	5M12MC508	95,00
12	12MCS500	5M12MC508	95,00
12	12MI100	5M12MI108	111,00
12	12WR400	5M12WR408	91,00
12	12WRS400	5M12WR408	91,00
10	10MC700Nd	5M10MC70ND8	103,00
10	10MCF400Nd	5M10MCF40ND8	176,00
10	10MCB700	5M10MCB708	112,00
10	10MC500	5M10MC508	88,00
10	10MCS500	5M10MC508	88,00
10	10G40	5M10G48	88,00

10	10NMFS	5M10NMFS8	220,00
10	10MI100	5M10MI108	116,00
10	10WR300	5M10WR308	70,00
10	10WRS300	5M10WR308	70,00
8	8MC500Nd	5M8MC50ND8	88,00
8	8MC300Nd	5M8MC30ND8	68,00
8	8P300Fe/N	5M8P3FE8	70,00
8	8WR300	5M8WR308	57,00
8	8WRS300	5M8WR308	57,00
8	8G40	5M8G408	64,00
8	8MI100	5M8MI108	56,00
8	8NMFW	5M8NMFW8	165,00
6	6MCF200Nd	5M6MCF20ND8	90,00
6	6P200Nd	5M6P2ND8	70,00
6	6G40Nd	5M6G4ND8	60,05
6	6MI100	5M6MI108	64,30
6	6NMFW	5M6NMFW8	148,00
6	6P200Fe	5M6P2FE8	70,00
5	5P200Nd	5M5P2FE8	55,00
5	5G40Nd/N	5M5G4NDN8	53,00
5	5P200Fe	5M5P2FE8	55,00

COAXIALS

Format	Name	LF Recone Kit Ref.	PRICE (EUR)	HF Diaphragm Ref.	PRICE (EUR)
15	15CXA400Nd	5M15CXA4ND8	150,00	5MCP756	89,71
15	15XA38Nd	5M15XA388	145,00	5MCP756	89,71
15	15CXA400Fe	5M15CXA4FE8	150,00	5MCP756	89,71
12	12CXA400Nd	5M12CXA4ND8	120,00	5MCP756	89,71
12	12XA30Nd	5M12XA308	118,00	5MCP756	89,71
12	12CXA400Fe	5M12CXA4ND8	120,00	5MCP756	89,71
10	10CX300/Fe	5M10CX3FE8	88,00	5MCD10N6	50,00
8	8CX300Nd/N	5MSMC220PM48	41,36	5M8CX3ND8	73,48
8	8CX300Fe	5M8CX3FE8	75,00	5MCD10N6	50,00
6	6CX200Nd/N	5M6CX2ND8	70,00	5MSMC2258	49,00
6	6CX200Fe	5M6CX2ND8	70,00	5MCP5CX8	47,00
5	5CX200Nd/N	5M5CX2ND8	65,00	5MSMC2258	49,00
5	5CX200Fe	5M5CX2ND8	65,00	5MCP5CX8	47,00

COMPRESSION DRIVERS

Format	Name	Recone Item	PRICE (EUR)
2	CP-850Nd	5MCP80T8	210,00
2	CP-800/Ti	5MCP80T8	210,00
2	CP-750/Ti	5MCP758	89,71
2	SMC-60	5MSMC608R	89,83
1.4	CD-314Nd/Ti	5MCD314TI8	81,00
1.4	CP-755Nd	5MCP758	89,71
1.4	SMC-65Nd	5MSMC608R	89,83
1.4	CD-2514Nd/Ti	5MCD2514TI8	72,00
1.4	CD-2514Nd/PT	5MCD2514PT8	68,00
1.4	CD-2514Nd/PK	5MCD2514PK8	70,00
1.4	CD-14Nd	5MCD148	88,00
1.4	CD-314Fe/Ti	5MCD314TI8	81,00

1.4	CP-755Ti	5MCP758	89,71
1.4	SMC-65	5MSMC608R	89,83
1.4	CD-2514Fe/PT	5MCD2514PT8	68,00
1.4	CD-2514Fe/PK	5MCD2514PK8	70,00
1.4	CD-2514Fe/Ti	5MCD2514TI8	72,00
1.4	CD-14Fe	5MCD148	88,00
1.4	CD-1014Fe/N	5MCD10N8	50,00
1.4	CD-1114Fe	5MCD118	50,00
1	CP-385Nd	5MCP385N8	76,39
1	CD-11Nd	5MCD118	50,00
1	CD-10Nd/N	5MCD10N8	50,00
1	SMC-225Nd	5MSMC2258	49,00
1	CD-171Fe/PK	5MCD171PK8	50,00
1	CD-171Fe/PT	5MCD171PT8	50,00
1	SMC-8060/N	5MSMC28N8	50,00
1	CD-11Fe	5MCD118	50,00
1	SMC-280/N	5MSMC28N8	50,00
1	CD-10Fe/N	5MCD10N8	50,00
1	CD-151Fe/PK	5MCD151PK8	67,00
1	CD-151Fe/PT	5MCD151PT8	66,00
1	CD1S	5MCD1S8	34,58

COMPRESSION DRIVERS WITH WAVES GUIDE

Format	Name	Recone Item	PRICE (EUR)
0.8	WL4	5MSMC2258	49,00
0.8	WL4Fe/N	5MSMC220PM48	41,36
0.8	WL3/Fe	5MSMC220PM48	41,36

AMT DRIVERS

Format	Name	Recone Item	PRICE (EUR)
TPL	TPL-200/H	5MTPL208	212,00
TPL	TPL-200/B	5MTPL208	212,00
TPL	TPL-150/H	5MTPL158	126,00
TPL	TPL-150/Black	5MTPL158	126,00
TPL	TPL-75	5MTPL758	93,00

COMPRESSION TWEETERS

Format	Name	Recone Item	PRICE (EUR)
TWT	CP-21/F	5MCP228	58,33
TWT	CP-22	5MCP228	58,33
TWT	CP-09	5MCP168	28,50
TWT	CP-12/N	5MCP168	28,50
TWT	CP-16	5MCP168	28,50

DOME TWEETERS

Format	Name	Recone Item	PRICE (EUR)
TWT	T-25M	5MTW25M4	75,00
TWT	T-25S	5MTW25S4	62,00

TWT	T-2030	5MT20308	35,00
-----	--------	----------	-------

FULL RANGE

Format	Name	Recone Item	PRICE (EUR)
12	12GA50	5M12GA508	53,00

SHIPPING TERMS AND CONDITIONS:

EFFECTIVE: 3rd July 2023

Specifications, features and prices can change without notice.

Guarantee. Beyma loudspeakers, are guaranteed for 3 years.

Excluded: accident, use out of specifications and damage transport.

Prices per unit.

Prices are quoted "EXW" Moncada, Valencia (SPAIN)

Availability of these products in 4 and 16 Ohms need to be checked with Acustica Beyma.

There might be variations on availability, delivery time, minimum quantity requirements and prices.

For more information please visit our website www.beyma.com.

V. 1.0 2023